

# Resin Excellence Commercial Resin Bound / Bonded Specification Data



AREA	USE	SYSTEM	SUBSTRATE	DEPTH	BASE COURSE	DEPTH	TOP SCREED DEPTH	CURING TIME TARMAC	CURING TIME TOPCOAT	SuDS COMPLIANT	GUARANTEE
PATHS	COMMERCIAL	RESIN BONDED	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	5mm	MIN. 28 DAYS	FOOT – 2HRS VEHICLES – 24 HRS	NO	2 YEARS
PATHS	COMMERCIAL	RESIN BOUND	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	18-20mm	5 DAYS	FOOT – 12HRS VEHICLES – 48 HRS	YES	5 YEARS
DRIVEWAY	COMMERCIAL	RESIN BONDED	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	5mm	MIN. 28 DAYS	FOOT – 2HRS VEHICLES – 24 HRS	NO	2 YEARS
DRIVEWAY	COMMERCIAL	RESIN BOUND	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	18-20mm	5 DAYS	FOOT-12HRS VEHICLE-48HRS	YES	10 YEARS
COMMUNAL AREA	COMMERCIAL	RESIN BONDED	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	5mm	MIN. 28 DAYS	FOOT – 2HRS VEHICLES – 24HRS	NO	2 YEARS
COMMUNAL AREA	COMMERCIAL	RESIN BOUND	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	18-20mm	5 DAYS	FOOT -12HRS VEHICLE – 48HRS	YES	5 YEARS
ROADS / HIGHWAYS	COMMERCIAL	RESIN BONDED	TO HIGHWAYS SPEC	TBA	TO HIGHWAYS SPEC	TBA	5mm	MIN. 28 DAYS	VEHICLES – 4HRS	NO	2 YEARS
TREE PITS	COMMERCIAL	RESIN BOUND	MEMBRANE + COMPACTED TYPE 1	80mm	NONE	N/A	50mm	N/A	FOOT – 12 HRS	YES	2 YEARS

[darren@resinexcellence.com](mailto:darren@resinexcellence.com)

tel: 01202 499270