

Resin Excellence Residential Resin Bound / Bonded Specification Data



AREA	USE	SYSTEM	SUBSTRATE	DEPTH	BASE COURSE	DEPTH	TOP SCREED DEPTH	CURING TIME TARMAC	CURING TIME TOPCOAT	SuDS COMPLIANT	GUARANTEE
PATIO	RESIDENTIAL	RESIN BOUND	MEMBRANE +COMPACTED TYPE 1	100mm	NONE	N/A	18-20mm	N/A	FOOT – 12HRS	YES	10 YEARS
DRIVEWAY	RESIDENTIAL	RESIN BONDED	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	5mm	MIN. 28 DAYS	FOOT – 2HRS VEHICLES – 24HRS	NO	2 YEARS
DRIVEWAY	RESIDENTIAL	RESIN BOUND	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	18-20mm	5 DAYS	FOOT – 12HRS VEHICLES – 48HRS	YES	10 YEARS
PATHS	RESIDENTIAL	RESIN BONDED	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	5mm	MIN. 28 DAYS	FOOT – 2HRS VEHICLES – 24 HOURS	NO	2 YEARS
PATHS	RESIDENTIAL	RESIN BOUND	COMPACTED TYPE 1	80mm	14mm OPEN GRADE TARMAC	40mm	18-20mm	5 DAYS	FOOT – 12HRS VEHICLES- 48HRS	YES	10 YEARS

darren@resinexcellence.com

tel: 01202 499270